01/2025 Part VIIIB

ARRANGEMENTS FOR PAYMENT FOR SPECIALS AND IMPORTED UNLICENSED MEDICINES WITH A PRICE PER UNIT ABOVE A MINIMUM QUANTITY

The arrangements laid out in this Part cover specials and imported unlicensed medicines to be priced per unit above a minimum quantity.

Basic price of certain Specials and Imported unlicensed medicines

The price listed in respect of a drug specified in the following list is the basic price on which payment will be calculated pursuant to Part I Clause 5B 1 for the dispensing of that drug.

Drugs listed in this Part have a minimum quantity and price for that quantity and a price per subsequent ml/g/tab/cap unless in a special container.

The Secretary of State determines the price based on information of manufactured specials or imports submitted by suppliers that hold a Manufacturer 'Specials' Licence or Wholesale Dealer Licence issued by the Medicine and Healthcare products Regulatory Agency (MHRA).

Formulations - The Tariff covers the formulations specified. The following symbols are used in Part VIIIB.

- Standard formulation including standard flavours
- SF Sugar free
- ΑF Alcohol free
- CF Colour free
- FF Flavour free
- LF Lactose free
- PF Preservative free
- NSF Non standard flavours
- Special Container
- Selected List Scheme (SLS)

Price - All unlicensed medicines in this Part are listed with a minimum quantity and corresponding price, which is payable for any amount prescribed up to the minimum quantity. Unless in a special container, subsequent quantities will be payable at the additional price per ml/g/tab/cap up to the total quantity prescribed. The price of each product listed in this Part covers the formulations specified and this price will be paid regardless

of how the product was sourced.

Endorsement requirements above Part II Clause 9

It is not necessary to endorse prescription forms for unlicensed medicines listed in this Part other than with the endorsement requirements outlined in Part II Clause 9.

If the unlicensed medicine is obtained from a supplier holding a MHRA Manufacturer 'Specials' Licence or Wholesale Dealer Licence, the contractor shall endorse the prescription with the initials 'SP' to claim the additional fees payable for dispensing unlicensed medicines.

The 'ED' endorsement would only apply if the unlicensed medicine has been prepared under the manufacturing part of the Section 10 exemption from the Medicines Act 1968, by the contractor or by a third party. In this case, the contractor shall endorse the names, quantities and cost of ingredients used in preparing the special.

Arrangements for payment for all other Specials and Imported unlicensed medicines

Prescriptions for specials not listed in the Drug Tariff Part VIIIB and Part VIIID will be paid depending on how the special was sourced and the price endorsed on the prescription form.

- Where the unlicensed medicine is manufactured under a Manufacturer 'Specials' Licence or Wholesale Dealer Licence issued by the MHRA, the contractor shall endorse the
 - initials 'SP' to claim the additional fees payable for dispensing unlicensed medicines
 - pack size from which the order was supplied
 - invoice price per pack size from which the product was supplied less discount/rebates
 - manufacturer's/wholesaler's licence number
 - batch number of the unlicensed medicine.
- Where the special has been prepared under the manufacturing part of the Section 10 exemption from the Medicines Act 1968, by the contractor or by a third party, the contractor shall endorse the names, quantities and cost of the ingredients used in preparing the special and endorse the prescription form with the initials 'ED' to claim the additional fees payable for dispensing unlicensed medicines prepared using this exemption.

01/2025 Part VIIIB

ARRANGEMENTS FOR PAYMENT FOR SPECIALS AND IMPORTED UNLICENSED MEDICINES WITH A PRICE PER UNIT ABOVE A MINIMUM QUANTITY

Further requirements when supplying unlicensed medicines

Contractors shall

- Keep the following records for 5 years:

 The source of the special or imported unlicensed product

 The person to whom and the date on which the special or imported unlicensed product was sold or supplied

 - The prescriber's details
 The quantity of each sale or supply
 The batch number of the special
- b Make available these records for inspection by the Licensing Authority.

For specials not listed in the Drug Tariff Part VIIIB and Part VIIID, the contractor or his representative must stamp, date, initial and endorse the Certificate of Analysis (COA)/Certificate of Conformity (COC) with the invoice price less discount and prescriber's details and retain the COA/COC for 5 years.

For imported unlicensed products not listed in the Drug Tariff Part VIIIB and Part VIIID, the contractor or his representative shall make every reasonable effort to obtain a Certificate of Analysis (COA)/Certificate of Conformity (COC) for each imported product sourced and retain the COA/COC for 5 years.

- Where a COA/COC is available, the contractor must stamp, date, initial and endorse the COA/COC with the invoice price less discount and prescribers details.
- Where a COC/COA is not available, the contractor must stamp, date, initial and endorse the invoice with the invoice price less discount (where not clearly detailed by the supplier) and the prescriber's

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extra ml/g above minimum volume (p) |
|---|-------------------------------------|-------------------|------------------------------------|--|
| Acetazolamide 250mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2899 | 8 |
| Acitretin 5mg/5ml oral suspension | STD, SF, LF, FF, AF, CF | 60ml | 6344 | 1 |
| Allopurinol 100mg/5ml oral solution | STD, SF, AF, PF | 100ml | 2561 | 12 |
| Allopurinol 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 2099 | 1 |
| Allopurinol 300mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2325 | 4 |
| Amiodarone 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2650 | 17 |
| Amiodarone 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1896 | 3 |
| Antacid and Oxetacaine oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 1506 | 8 |
| Arginine 2g/5ml oral solution | STD, SF, CF, NSF, AF, FF, LF | 250ml | 7483 | 11 |
| Arginine 500mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 200ml | 4476 | 11 |
| Atorvastatin 10mg/5ml oral solution | STD | 150ml | 2294 | 9 |
| Atorvastatin 10mg/5ml oral suspension | STD, SF, AF, FF, LF, NSF | 100ml | 8508 | 13 |
| Beclometasone 0.0025% in White soft paraffin | STD, NSF | 100g | 12283 | 13 |
| Bendroflumethiazide 2.5mg/5ml oral suspension | n STD, SF, LF, CF, NSF, AF, FF | 150ml | 4224 | 1 |
| Benzyl benzoate 25% application | STD | 100ml | 41750 | 1 |
| Betahistine 8mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 3221 | 9 |
| Bisacodyl 2.5mg/5ml oral suspension | STD, SF, LF, AF, FF, CF | 100ml | 2296 | 2 |
| Bisacodyl 2.74mg/ml rectal solution | STD, LF, CF, AF, FF, PF, SF | 200ml | 1768 | 2 |
| Bisoprolol 1.25mg/5ml oral solution | STD, SF, LF, FF, AF, CF | 100ml | 3231 | 11 |
| Bisoprolol 1.25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2539 | 1 |
| Bisoprolol 2.5mg/5ml oral solution | STD, SF, LF, CF, AF, FF, NSF | 150ml | 2637 | 5 |
| Bisoprolol 2.5mg/5ml oral suspension | STD, SF, LF, NSF, AF, CF, FF | 100ml | 2964 | 1 |
| Bisoprolol 5mg/5ml oral solution | STD, SF, LF, AF, CF, FF, NSF, PF | 150ml | 2934 | 1 |
| Bisoprolol 5mg/5ml oral suspension | STD, SF, LF, NSF, AF, FF, CF, PF | 100ml | 1867 | 1 |
| Calcium carbonate 500mg/5ml oral suspension | | 100ml | 1484 | 14 |
| Calcium carbonate 600mg/5ml oral suspension | * | 150ml | 2468 | 8 |

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extra ml/g above minimum |
|--|-------------------------------------|-------------------|------------------------------------|--|
| | | | | volume (p) |
| Carbimazole 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 8049 | 1 |
| Carvedilol 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 5875 | 4 |
| Chloral hydrate 1g/5ml oral solution | STD, SF, LF, CF, NSF, FF, AF | 100ml | 6479 | 30 |
| Chloral hydrate 200mg/5ml oral suspension | STD, AF, CF, NSF, SF, FF, LF | 100ml | 6595 | 1 |
| Chlorothiazide 150mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 4257 | 14 |
| Chlorothiazide 200mg/5ml oral suspension | AF, LF, SF, STD, FF | 150ml | 4738 | 1 |
| Chlorothiazide 250mg/5ml oral solution | STD | 100ml | 7721 | 15 |
| Chlorothiazide 250mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 50ml | 3204 | 3 |
| Chlorothiazide 25mg/5ml oral suspension | STD, SF, LF, AF, FF, CF, NSF, PF | 100ml | 4589 | 2 |
| Clindamycin 75mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2974 | 3 |
| Clomipramine 50mg/5ml oral suspension | STD, SF,CF, NSF, AF, FF | 100ml | 3006 | 6 |
| Clonazepam 250micrograms/5ml oral solution | STD | 100ml | 5851 | 9 |
| Clonazepam 250micrograms/5ml oral suspension | STD, AF, NSF, SF | 100ml | 29206 | 9 |
| Clopidogrel 1mg/1ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2486 | 1 |
| Clopidogrel 25mg/5ml oral suspension | STD, SF, AF, CF, LF, NSF, FF, PF | 50ml | 29537 | 1 |
| Clopidogrel 75mg/5ml oral solution | STD, SF, LF, CF, AF, NSF. FF | 150ml | 2815 | 18 |
| Clopidogrel 75mg/5ml oral suspension | STD, SF, NSF, AF, FF, CF, LF | 100ml | 3179 | 1 |
| Coal tar solution 5% in Betamethasone valerate 0.025% ointment | STD | ■100g | 4110 | |
| Coal tar solution 6% / Salicylic acid 2% in ointment | STD, All bases, PF | ■100g | 13023 | |
| Co-careldopa 12.5mg/50mg/5ml oral suspension | nSTD, SF, LF, CF, NSF, AF, FF | 100ml | 11494 | 1 |
| Co-careldopa 25mg/100mg/5ml oral suspension | n STD, SF, LF, CF, NSF, AF, FF | 100ml | 4676 | 8 |
| Coconut oil 25% ointment | STD | 100g | 2204 | 1 |
| Co-dydramol 10mg/500mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 150ml | 1537 | 1 |
| Colecalciferol 10,000units/5ml oral solution | STD, SF, LF, AF, FF, CF | 20ml | 6406 | 1 |
| Colecalciferol 20,000units/ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 30ml | 5722 | 1 |
| Colecalciferol 5,000units/5ml oral solution | STD, SF, LF, AF, FF, NSF, CF | 20ml | 2727 | 7 |
| Cyclizine 50mg/5ml oral solution | STD, SF, AF, FF, PF | 100ml | 1757 | 8 |

| Product | Formulations covered by tariff | Minimur volume | n Price for minimum volume (p) | Price for each extra ml/g above |
|---|-------------------------------------|-------------------|--------------------------------------|---------------------------------------|
| | | | | minimum volume (p) |
| Cyclizine 50mg/5ml oral suspension | STD, NSF, AF, CF, FF, PF | 100ml | 2531 | 6 |
| Dantrolene 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1907 | 16 |
| Dantrolene 25mg/5ml oral solution | STD | 150ml | 4871 | 9 |
| Dantrolene 25mg/5ml oral suspension | STD, SF, LF, NSF, FF, AF | 100ml | 4308 | 3 |
| Diazepam 10mg/5ml oral suspension | STD, AF, FF, LF, NSF, SF, CF, PF | 100ml | 15188 | 5 |
| Diazepam 2.5mg/5ml oral suspension | STD, AF, CF, LF, NSF, SF, FF | 350ml | 6645 | 1 |
| Diazoxide 250mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 30ml | 24041 | 1 |
| Diazoxide 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 100ml | 4688 | 1 |
| Diclofenac 50mg/5ml oral suspension | STD, SF, LF, AF, FF, NSF, CF | 150ml | 4361 | 1 |
| Dihydrocodeine 10mg/5ml oral suspension | STD, AF, CF, FF, SF | 100ml | 13754 | 10 |
| Diltiazem 0.2% cream | STD | 10g | 4023 | 16 |
| Diltiazem 2% cream | STD, AF, CF, LF | 30g | 1237 | 36 |
| Diltiazem 2% ointment | STD, AF, CF, LF, SF | 30g | 1282 | 12 |
| Diltiazem 60mg/5ml oral suspension | STD, SF, NSF, AF, LF, CF, FF, PF | 100ml | 1164 | 1′ |
| Dosulepin 25mg/5ml oral solution | STD, SF, LF, CF, FF, AF | 500ml | 16612 | 11 |
| Dosulepin 75mg/5ml oral solution | STD, SF, LF, CF, FF, AF | 150ml | 3655 | 11 |
| Doxazosin 1mg/5ml oral solution | STD, SF, LF, CF, AF, NSF | 150ml | 2051 | 9 |
| Doxazosin 1mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 4245 | 7 |
| Doxazosin 4mg/5ml oral solution | STD, SF, LF, CF, AF, NSF | 150ml | 3374 | 6 |
| Doxazosin 4mg/5ml oral suspension | STD, SF, NSF, AF, CF, FF, LF, PF | 150ml | 2679 | 7 |
| Doxycycline 50mg/5ml oral suspension | STD, SF, AF, NSF | 100ml | 12318 | 1 |
| Enalapril 1.25mg/5ml oral suspension | STD, SF, AF, CF, FF, LF, NSF | 150ml | 2359 | 6 |
| Enalapril 10mg/5ml oral suspension | STD, SF, AF, FF, LF, NSF | 100ml | 2472 | 2 |
| Entacapone 200mg/5ml oral suspension | STD | 300ml | 89178 | 1 |
| Eosin 2% solution | STD | 100ml | 2362 | 24 |
| Ergocalciferol 1,000units/5ml oral solution | STD, SF, LF, CF, AF, FF, NSF, PF | 100ml | 4125 | 1 |
| Ergocalciferol 10,000units/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2762 | 2 |
| Ergocalciferol 100,000units/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 20ml | 2627 | 1 |
| Ergocalciferol 3,000units/ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 60ml | 4129 | 1 |

| Product | Formulations covered | Minimum | | Price for |
|---|-------------------------------------|---------|-----------------------|-------------------------------------|
| | by tariff | volume | minimum volume (p) | each extra ml/g above minimum |
| | | | | volume (p) |
| Ergocalciferol 6,000units/5ml oral solution | STD, SF, LF, CF, NSF, FF, AF, PF | 100ml | 2084 | 5 |
| Ferrous sulfate 60mg/5ml oral solution | STD, SF, LF, NSF, FF, CF, AF | 100ml | 2761 | 9 |
| Fexofenadine 180mg/5ml oral suspension | STD, AF, SF, NSF, LF | 100ml | 16922 | 1 |
| Flecainide 10mg/5ml oral suspension | STD, SF, LF, AF, FF, NSF | 100ml | 1062 | 9 |
| Fludrocortisone 100micrograms/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2405 | 22 |
| Fludrocortisone 50micrograms/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF, PF | 100ml | 2895 | 4 |
| Furosemide 5mg/5ml oral solution | STD, SF, CF, LF, NSF, AF, FF | 150ml | 3858 | 9 |
| Furosemide 5mg/5ml oral suspension | STD, SF, AF | 100ml | 35679 | 8 |
| Gabapentin 100mg/5ml oral solution | STD, AF, CF, FF, LF, NSF, SF | 100ml | 27612 | 28 |
| Gabapentin 100mg/5ml oral suspension | STD, AF, FF, LF, NSF, SF, CF, PF | 100ml | 8484 | 60 |
| Gabapentin 400mg/5ml suspension | STD, AF, CF, FF, LF, NSF, PF, SF | 200ml | 11460 | 44 |
| Gliclazide 40mg/5ml oral suspension | STD, SF, NSF, AF, CF, FF, LF | 100ml | 1703 | 7 |
| Gliclazide 80mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 1422 | 2 |
| Glyceryl trinitrate 0.2% ointment | STD | 30g | 3978 | 6 |
| Glycopyrronium bromide 0.05% topical solution | STD, PF, AF, CF | 500ml | 2568 | 1 |
| Glycopyrronium bromide 2% in Cetomacrogol cream (Formula A) | STD, AF, SF | 30g | 13076 | 1 |
| Glycopyrronium bromide 2.5mg/5ml oral solution | nSTD, SF, LF, CF, NSF, AF, FF | 100ml | 4102 | 1 |
| Glycopyrronium bromide 2.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 1983 | 1 |
| Glycopyrronium bromide 200micrograms/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1831 | 7 |
| Glycopyrronium bromide 200micrograms/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1180 | 3 |
| Glycopyrronium bromide 500micrograms/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1144 | 8 |
| Glycopyrronium bromide 500micrograms/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 300ml | 2935 | 3 |
| Glycopyrronium bromide 5mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2539 | 7 |
| Glycopyrronium bromide 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 50ml | 1357 | 24 |
| Griseofulvin 125mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 3141 | 3 |
| Griseofulvin 175mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 4096 | 8 |
| Hydralazine 10mg/5ml oral suspension | SF, LF, AF, NSF, STD, FF | 100ml | 3464 | 1 |

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extra ml/g above |
|--|-------------------------------------|-------------------|------------------------------------|---------------------------------|
| | | | | minimum volume (p) |
| Hydroquinone 4% cream | STD | 30g | 4208 | 3 |
| Hydroxychloroquine 200mg/5ml oral suspension | n STD, SF, CF, NSF, AF, FF, LF | 100ml | 1864 | 7 |
| Hydroxyzine 10mg/5ml oral suspension | STD, SF, AF, NSF, CF, FF, PF | 100ml | 8759 | 6 |
| Hyoscine butylbromide 10mg/5ml oral solution | STD, SF, AF, CF, FF, LF, NSF, PF | 100ml | 2718 | 1 |
| Hyoscine butylbromide 10mg/5ml oral suspension | STD, NSF, AF, CF, FF, LF | 100ml | 1414 | 11 |
| Hyoscine hydrobromide 300micrograms/5ml ora solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1431 | 6 |
| Hyoscine hydrobromide 300micrograms/5ml ora suspension | I STD, SF, LF, CF, NSF, AF, FF | 100ml | 1523 | 14 |
| Hyoscine hydrobromide 500micrograms/5ml ora solution | I STD, SF, LF, AF, FF, CF | 100ml | 1989 | 14 |
| Hyoscine hydrobromide 500micrograms/5ml ora suspension | STD, SF, AF, LF, NSF, CF, FF | 100ml | 1101 | 5 |
| Indapamide 2.5mg/5ml oral suspension | STD, SF, AF, CF, FF, LF, NSF, PF | 150ml | 9492 | 1 |
| Indometacin 25mg/5ml oral suspension | STD, SF, NSF, AF, FF, LF, CF | 100ml | 3181 | 5 |
| Isoniazid 50mg/5ml oral solution | STD, SF, LF, CF, AF, NSF | 500ml | 4350 | 8 |
| Isosorbide mononitrate 20mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1350 | 11 |
| Ketamine 50mg/5ml oral solution | STD, SF, LF, CF, NSF, FF, AF | 200ml | 3077 | 9 |
| Ketamine 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 200ml | 5144 | 6 |
| Lansoprazole 15mg/5ml oral solution | STD, SF, NSF, LF | 100ml | 1711 | 8 |
| Lansoprazole 15mg/5ml oral suspension | STD, SF, NSF, AF, FF, CF, LF | 100ml | 1925 | 2 |
| Lansoprazole 30mg/5ml oral solution | STD, NSF, SF, LF | 100ml | 2153 | 7 |
| Lansoprazole 30mg/5ml oral suspension | STD, SF, NSF, AF, CF, LF, FF | 100ml | 1412 | 6 |
| Lansoprazole 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1511 | 1 |
| Levomepromazine 2.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2623 | 3 |
| Levomepromazine 6mg/5ml oral suspension | STD, SF, AF, CF, FF, LF, NSF | 100ml | 13688 | 18 |
| Lidocaine 2% gel | STD, CF, AF, FF | ■15ml | 2499 | |
| Lisinopril 20mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 3621 | 8 |
| Lisinopril 20mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2103 | 20 |
| Loperamide 25mg/5ml oral solution | STD, SF, FF, NSF, AF, LF, CF | 100ml | 3462 | 2 |
| Loperamide 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 3155 | 1 |
| | | | | |

| Product | Formulations covered by tariff | Minimum Price fo volume minimum volume (p | m each extra |
|--|---------------------------------------|---|--------------|
| Lorazepam 1mg/5ml oral solution | STD, SF, LF, CF, NSF, | 150ml 276 | (17 |
| Lorazepam 1mg/5ml oral suspension | AF STD, SF, LF, CF, NSF, AF, FF | 100ml 409 | 1 5 |
| Lorazepam 500micrograms/5ml oral solution | STD, SF, LF, CF, AF | 150ml 197 | 9 2 |
| Lorazepam 500micrograms/5ml oral suspension | n STD, SF, LF, CF, NSF, FF, AF | 100ml 235 | 1 1 |
| Losartan 50mg/5ml oral solution | STD, SF, FF | 100ml 246 | 3 5 |
| Losartan 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml 286 | 0 1 |
| Magnesium glycerophosphate (magnesium 97.2mg/5ml (4mmol/5ml)) oral solution | STD, SF, FF, AF, CF, LF | 200ml 140 | 6 1 |
| Melatonin 2.5mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml 144 | .0 10 |
| Melatonin 2.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml 166 | 9 10 |
| Melatonin 2mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF, PF | 100ml 119 | 2 3 |
| Melatonin 2mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF, PF | 100ml 180 | 1 2 |
| Melatonin 3mg/5ml oral solution | STD, SF, LF, CF, NSF, FF, AF | 100ml 121 | 5 7 |
| Melatonin 3mg/5ml oral suspension | STD, SF, LF, NSF, AF, CF, FF, PF | 100ml 203 | 6 3 |
| Melatonin 4mg/5ml oral suspension | STD, SF, LF, AF, NSF, CF, FF, PF | 150ml 1930 | 1 1 |
| Menadiol 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 30ml 331 | 2 18 |
| Methylphenidate 5mg/5ml oral solution | STD, AF, SF | 60ml 111 | 9 7 |
| Methylphenidate 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml 188 | 3 8 |
| Metoprolol 12.5mg/5ml oral solution | STD, SF, LF, CF, AF, NSF | 150ml 214 | 1 6 |
| Metoprolol 12.5mg/5ml oral suspension | STD, SF, AF, NSF, CF, LF, FF, PF | 100ml 58 | 5 4 |
| Metoprolol 50mg/5ml oral solution | STD, SF, LF, CF, AF, NSF | 150ml 450 | 0 1 |
| Nadolol 20mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF, PF | 100ml 599 | 5 10 |
| Nadolol 30mg/5ml oral suspension | STD, SF, LF, AF, FF, CF, NSF | 100ml 1146 | 3 3 |
| Nadolol 40mg/5ml oral suspension | STD, SF, NSF, AF, LF. FF, CF, PF | 100ml 201 | 7 8 |
| Naltrexone 5mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml 243 | 2 7 |
| Naltrexone 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml 367 | 9 3 |
| Naproxen 200mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml 182 | 3 9 |
| Neomycin 0.5% cream | STD | 15g 999 | 1 1 |

| Product | Formulations covered by tariff | Minimum volume | minimum | Price for each extra |
|--|-------------------------------------|-------------------|------------|-------------------------------------|
| | | | volume (p) | ml/g above minimum volume (p) |
| Nifedipine 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2244 | 3 |
| Nifedipine 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2681 | 1 |
| Nitrazepam 5mg/5ml oral suspension | STD, SF, LF, AF, FF, CF | 100ml | 12098 | 36 |
| Olanzapine 2.5mg/5ml oral solution | STD | 100ml | 5050 | 4 |
| Olanzapine 2.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 70ml | 3235 | 6 |
| Paraldehyde 50% in Olive oil rectal solution | STD, SF | 10ml | 1499 | 26 |
| Perindopril erbumine 4mg/5ml oral solution | STD, SF, LF, CF | 150ml | 1750 | 4 |
| Perindopril erbumine 4mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1791 | 8 |
| Phenobarbital 50mg/5ml oral solution | STD, AF, CF, FF, LF, SF, NSF | 150ml | 9017 | 23 |
| Phenobarbital 50mg/5ml oral suspension | STD, AF, LF, NSF, SF, FF, CF | 100ml | 8244 | 1 |
| Phenytoin 90mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 500ml | 3236 | 3 |
| Phosphate 0.98mmol/ml / Sodium 0.78mmol/ml oral solution | | 100ml | 2866 | 5 |
| Pizotifen 250micrograms/5ml oral solution | STD, SF, AF | 100ml | 22421 | 1 |
| Pizotifen 250micrograms/5ml oral suspension | STD, SF, NSF, AF, CF, FF, LF, PF | 100ml | 3806 | 27 |
| Prednisolone sodium phosphate 0.1% eye drops | sSTD, PF | ■10ml | 2678 | |
| Pregabalin 75mg/5ml oral suspension | STD, AF, LF, NSF, SF, CF, FF | 100ml | 4181 | 40 |
| Primidone 250mg/5ml oral suspension | STD, SF, LF, AF, FF, CF, NSF | 150ml | 12031 | 7 |
| Primidone 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 1444 | 2 |
| Primidone 62.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2586 | 9 |
| Propylene glycol 40% in Clobetasol 0.05% cream | STD | 100g | 3396 | 7 |
| Pyridostigmine bromide 20mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2093 | 8 |
| Pyridostigmine bromide 30mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 50ml | 929 | 1 |
| Pyridostigmine bromide 50mg/5ml oral suspension | STD, SF, AF, NSF, FF | 100ml | 5805 | 38 |
| Pyridoxine 100mg/5ml oral solution | STD, SF, LF, CF, AF, FF | 100ml | 2020 | 2 |
| Pyridoxine 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 50ml | 1809 | 16 |
| Quetiapine 12.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2072 | 15 |
| Quetiapine 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 4143 | 19 |

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extra ml/g above |
|---|---------------------------------------|-------------------|------------------------------------|---------------------------------|
| | | | | minimum volume (p) |
| Quetiapine 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 1640 | 15 |
| Quinine sulfate 200mg/5ml oral suspension | STD, SF, AF, FF, NSF | 100ml | 4669 | 1 |
| Quinine sulfate 300mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 150ml | 3677 | 2 |
| Ramipril 10mg/5ml oral suspension | STD, AF, FF, SF | 100ml | 28878 | 1 |
| Riboflavin 120mg/5ml oral suspension | STD, SF, LF, NSF, AF, CF, FF, PF | 100ml | 4559 | 1 |
| Salicylic acid 10% in Aqueous cream BP | STD, AF, CF, FF, LF, SF, NSF, PF | 100g | 2363 | 5 |
| Salicylic acid 10% ointment | STD, All bases | 100g | 1934 | 8 |
| Salicylic acid 2% / sulfur 2% in Aqueous cream | STD | 100g | 6692 | 56 |
| Salicylic acid 2% in Aqueous cream BP | STD | 100g | 2533 | 6 |
| Salicylic acid 20% ointment | All bases, STD | 100g | 2795 | 1 |
| Salicylic acid 5% cream | STD | 100g | 2404 | 6 |
| Salicylic acid 5% ointment | All bases, STD, AF, CF, FF, LF, SF | 100g | 1735 | 9 |
| Sildenafil 10mg/5ml oral suspension | STD, SF, NSF, AF, LF, CF, FF, PF | 100ml | 7863 | 1 |
| Sildenafil 25mg/5ml oral suspension | STD, SF, NSF, AF, LF, CF, FF, PF | 100ml | 7943 | 2 |
| Sodium benzoate 500mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF, PF | 100ml | 3149 | 11 |
| Sodium chloride 1.17g/5ml (4mmol/ml) oral solution | STD, SF, LF, AF, CF, FF, PF | 100ml | 842 | 2 |
| Sodium chloride 1.5g/5ml (5.13mmol/ml) oral solution | STD, SF, LF, CF, AF, FF, PF, NSF | 100ml | 1799 | 1 |
| Sodium dihydrogen phosphate dihydrate 780mg 5ml oral solution | g/STD, SF, LF, AF, FF, PF, CF | 100ml | 4913 | 11 |
| Sotalol 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 2504 | 1 |
| Spironolactone 25mg/5ml oral suspension | STD, SF, LF, NSF, FF, AF, CF | 125ml | 2129 | 1 |
| Spironolactone 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 125ml | 1433 | 1 |
| Sucralfate 2g/20ml enema | STD | ■20ml | 1338 | |
| Tacrolimus 5mg/5ml oral suspension | AF, CF, FF, LF, NSF, SF, STD | 100ml | 22770 | 1 |
| Tamsulosin 400micrograms/5ml oral solution | STD, AF, LF, SF | 100ml | 5953 | 28 |
| Tamsulosin 400micrograms/5ml oral suspensio | n STD, SF, FF | 100ml | 8364 | 1 |
| Terbinafine 250mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 50ml | 2114 | 7 |
| Tetrabenazine 12.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2541 | 1 |
| Tetrabenazine 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 140ml | 2407 | 10 |
| Theophylline 50mg/5ml oral solution | STD, SF, LF, AF, CF, FF, NSF, PF | 500ml | 6403 | 9 |

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extra ml/g above minimum volume (p) |
|--|-------------------------------------|-------------------|------------------------------------|--|
| Theophylline 50mg/5ml oral suspension | STD, SF, LF, AF, CF, FF, NSF, PF | 500ml | 6093 | 1 |
| Thiamine 100mg/5ml oral solution | STD, SF, LF, AF, CF, FF, NSF | 100ml | 1591 | 9 |
| Thiamine 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2442 | 20 |
| Thiamine 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1935 | 3 |
| Tizanidine 2mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1015 | 7 |
| Tizanidine 2mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 100ml | 1301 | 6 |
| Tolterodine 2mg/5ml oral suspension | STD, SF, NSF, AF, LF, FF, CF, PF | 100ml | 4343 | 4 |
| Topiramate 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 999 | 10 |
| Tranexamic acid 250mg/5ml oral suspension | STD, LF, SF, AF, CF, FF, NSF | 60ml | 4512 | 7 |
| Tranexamic acid 5% mouthwash | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2571 | 2 |
| Tranexamic acid 500mg/5ml oral solution | STD, SF, LF, NSF, FF, AF, CF | 100ml | 2719 | 5 |
| Tranexamic acid 500mg/5ml oral suspension | STD, SF, NSF, AF, LF, CF, FF | 100ml | 2677 | 12 |
| Triamcinolone 0.1% oromucosal paste | STD, PF | ■ 5g | 2789 | |
| Tricitrates oral solution | STD, SF, CF | 500ml | 6862 | 12 |
| Trihexyphenidyl 2mg/5ml oral solution | STD, LF, NSF, SF, CF | 200ml | 2396 | 8 |
| Trihexyphenidyl 2mg/5ml oral suspension | STD, AF, LF, SF, FF, CF | 300ml | 25187 | 1 |
| Zinc and Salicylic acid paste BP | | 100g | 2488 | 8 |
| Zinc oxide 15% and ichthammol 1% in yellow soft paraffin | STD | 200g | 2159 | 2 |
| Zopiclone 3.75mg/5ml oral solution | STD, SF, LF, CF, AF, NSF, FF | 150ml | 2433 | 5 |
| Zopiclone 3.75mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF, PF | 100ml | 2040 | 2 |
| Zopiclone 7.5mg/5ml oral solution | STD, SF, LF, CF, AF, FF | 100ml | 2810 | 1 |
| Zopiclone 7.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 3826 | 1 |